



Drywall and Plastering

CONSTRUCTION ZONE DRYWALL

DRYWALL



SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120433	1/2" 4' x 8' WHITE DRYWALL	APPROX. 60/LIFT	NONE
120442	5/8" 4' x 8' FIRECODE WHITE DRYWALL	APPROX. 48/LIFT	NONE
120451	1/2" 4' x 8' GREEN DRYWALL	APPROX. 48/LIFT	NONE
120454	5/8" 4' x 8' GREEN DRYWALL	APPROX. 48/LIFT	NONE

- **WHITE DRYWALL IS USED FOR GENERAL INTERIOR WALL AND CEILING FINISHING**
- **FIRECODE DRYWALL (TYPE X DRYWALL) IS USED WHERE FIRE-RESISTANCE RATED CONSTRUCTION IS REQUIRED**
- **GREEN DRYWALL IS MOISTURE RESISTANT AND USED IN BATHROOMS, BEHIND SINKS, AND OTHER AREAS WHERE THE MATERIAL MAY GET WET**



DRYWALL TAPE

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
020727	DRYWALL TAPE - 500 FT. ROLL	10/CASE	NONE

- **DRYWALL TAPE IS USED TO COVER THE JOINTS BETWEEN DRYWALL PANELS**




FIBERGLASS MESH TAPE

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
626714	FIBERGLASS MESH TAPE - 2" x 300 FT. ROLL	24/CASE	NONE

- **FIBERGLASS TAPE IS USED TO COVER THE JOINTS BETWEEN DRYWALL PANELS**
- **SELF ADHESIVE - NO PRE MUD REQUIRED**
- **STRONGER THAN PAPER TAPE**

CONSTRUCTION ZONE DRYWALL

DRYWALL APPLICATION



1. **COVER JOINT OR CORNER BEAD WITH MUD COAT**
2. **EMBED PAPER JOINT TAPE INTO THE MUD. WITH FIBERGLASS MESH TAPE YOU SKIP STEP 1.**
3. **COVER TAPE WITH SECOND MUD COAT**
4. **AFTER SANDING THE JOINT SMOOTH, COVER ENTIRE WALL WITH A TEXTURE COAT**

ALL PURPOSE JOINT COMPOUND (RED DOT)

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120542	ALL PURPOSE JOINT COMPOUND - 47 LBS.	48 CASES/PALLET	NONE

- **BEST FOR TAPING AND FIRST METAL COVERING**
- **SUITABLE FOR ALL FINISHING APPLICATIONS**
- **HIGH BOND STRENGTH**
- **MEETS OR EXCEEDS ASTM C-475**



FOR MORE INFORMATION SEE www.westpacmaterials.com/FinishingProducts.asp

TOPPING COMPOUND (GREEN DOT)

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120554	TOPPING COMPOUND - 49 LBS.	48 CASES/PALLET	NONE

- **IDEAL FOR SECOND AND FINISH COATS**
- **LOW SHRINKAGE**
- **EASY SANDING**
- **MEETS OR EXCEEDS ASTM C-475**



FOR MORE INFORMATION SEE www.westpacmaterials.com/FinishingProducts.asp

ORDER NOW! 1-800-325-6851

DRYWALL



TAPING AND TOPPING COMPOUND (TNT)

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120615	TAPING AND TOPPING - 46 LBS.	48 CASES/PALLET	NONE

- EXCELLENT FOR ALL FINISHING APPLICATIONS
- A TRUE ONE MUD SYSTEM
- LOW SHRINKAGE
- EASY SANDING
- MEETS OR EXCEEDS ASTM C-475

FOR MORE INFORMATION SEE www.westpacmaterials.com/FinishingProducts.asp

JOINT COMPOUND



SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120466	1 GAL. NATIONAL JOINT COMPOUND	4 GAL./CASE	NONE
120472	4 GAL. ALL PURPOSE JOINT COMPOUND	48 CASES/PALLET	NONE
120478	5 GAL. ALL PURPOSE JOINT COMPOUND	36 PAILS/PALLET	NONE

- IDEAL FOR TAPE APPLICATION, NAIL COVERING, AND COMPLETE JOINT FINISHING OF GYPSUM WALLBOARDS.
- MEETS ASTM C840 AND GYPSUM ASSOCIATION GA-214, GA-216
- READY TO USE RIGHT FROM THE CONTAINER!

FOR MORE INFORMATION SEE www.nationalgypsum.com/products/product24.aspx

TEXTURE



SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120578	CEILING TEXTURE - 32 LBS.	52/PALLET	NONE
120590	LITE LINE WALL TEXTURE - 40 LBS.	52/PALLET	NONE

- FOR TEXTURIZING WALLS AND CEILINGS
- EASY MIXING - JUST ADD WATER!

FOR MORE INFORMATION SEE www.westpacmaterials.com/FP_WestpacTexturesWall.asp

PLASTER

PATCHING COMPOUNDS

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120601	5 MINUTE SMOOTH SET LITE - 18 LBS.	96/PALLET	NONE
120602	20 MINUTE SMOOTH SET LITE- 18 LBS.	96/PALLET	NONE
120608	40 MINUTE SMOOTH SET LITE - 18 LBS.	96/PALLET	NONE

- **FAST SETTING COMPOUND FOR PATCHING GYPSUM WALLBOARD**
- **SMOOTH FINISH**
- **EASY MIXING - JUST ADD WATER!**



SPEEDI PATCH

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120415	SPEEDI PATCH INTERIOR - 25 LBS.	50/PALLET	\$10.00

- **IDEAL FOR SMALL PATCH JOBS ON GYPSUM WALLBOARD**
- **FAST SETTING**
- **EASY MIXING - JUST ADD WATER!**



PLASTER



PERLITED GYPSUM PLASTER

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120319	PERLITED GYPSUM PLASTER - 80 LBS.	40/PALLET	NONE

- A LIGHTWEIGHT GYPSUM PLASTER BASECOAT THAT CONTAINS EXPANDED PERLITE AGGREGATE
- 50% LIGHTER THAN CONVENTIONAL SANDED PLASTERS
- SUITABLE FOR EITHER HAND OR MACHINE APPLICATION
- MEETS ASTM C-28, C-35, C-842
- EASY TO MIX - JUST ADD WATER!


COVERAGE

GYPSUM LATH
135-150 SQ. YDS./TON


METAL LATH
75-90 SQ. YDS./TON

MASONRY
110-125 SQ. YDS./TON


GYPSUM LATH (BUTTON BOARD) APPLICATION



METAL LATH APPLICATION



MASONRY APPLICATION



CASTING PLASTER

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
120327	20 MIN. CASTING PLASTER - 100 LBS.	35/PALLET	NONE



- FOR PLASTER MOLDS OR REPAIRS
- SETS IN 20 MINUTES
- EASY MIXING - JUST ADD WATER!

METAL TRIM

DRYWALL CORNERBEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080603	1-1/4" DRYWALL CORNERBEAD - 8'	48/CASE	NONE
080609	1-1/4" DRYWALL CORNERBEAD - 10'	48/CASE	NONE

- **PROTECTS DRYWALL CORNERS AND PROVIDES A CLEAN, PROFESSIONAL EDGE**
- **KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR JOINT COMPOUND**
- **CAN BE APPLIED WITH EITHER NAILS OR SCREWS**





- **PROVIDES A CLEAN, SQUARE CORNER**
- **OUTSIDE CORNERS ONLY**

BULLNOSE DRYWALL CORNERBEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080615	BULLNOSE CORNERBEAD - 8'	50/CASE	NONE
080621	BULLNOSE CORNERBEAD - 10'	40/CASE	NONE


- **PROTECTS DRYWALL CORNERS AND PROVIDES A GENTLE ROUND EDGE**
- **KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR JOINT COMPOUND**
- **CAN BE APPLIED WITH EITHER NAILS OR SCREWS**



- **PROVIDES A CLEAN, ROUND CORNER**
- **OUTSIDE CORNERS ONLY**

ORDER NOW! 1-800-325-6851

METAL TRIM





A1 EXPANDED CORNERBEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080406	EXPANDED CORNERBEAD - 10'	30/CASE	NONE

- **PROTECTS PLASTER CORNERS AND PROVIDES A CLEAN, PROFESSIONAL EDGE**
- **KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR PLASTER**
- **CAN BE APPLIED WITH EITHER NAILS OR SCREWS**

- **PROVIDES A CLEAN, SQUARE CORNER**
- **OUTSIDE CORNERS ONLY**




A4 CORNERBEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080412	A4 CORNERBEAD - 10'	60/CASE	NONE

- **PROTECTS PLASTER CORNERS AND PROVIDES A CLEAN, PROFESSIONAL EDGE**
- **KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR PLASTER**
- **CAN BE APPLIED WITH EITHER NAILS OR SCREWS**
- **FOR USE ON STRAIGHT CORNERS, OR ONE FLANGE CAN BE SNIPPED THEN BENT WITHOUT KINKING. FOR USE ON ARCHED RADIUS**

- **PROVIDES A CLEAN, SQUARE CORNER**
- **OUTSIDE CORNERS ONLY**





METAL TRIM

DRYWALL "L" BEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080630	1/2" L BEAD #200B - 8'	50/CASE	NONE
080636	5/8" L BEAD #200B - 10'	50/CASE	NONE

- PROVIDES A CLEAN EDGE STOP AROUND WINDOWS AND DOORS
- KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR JOINT COMPOUND
- CAN BE APPLIED WITH EITHER NAILS OR SCREWS





- PROVIDES A CLEAN, SQUARE CORNER
- INSIDE OR OUTSIDE CORNERS

DRYWALL "U" BEAD

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
080642	1/2" U BEAD #200A - 10'	50/CASE	NONE
080648	5/8" U BEAD #200A - 10'	50/CASE	NONE


- PROVIDES A CLEAN EDGE STOP AROUND WALLBOARD STOPS
- KNURLED SURFACE PROVIDES A GRIPPING SURFACE FOR JOINT COMPOUND
- CAN BE APPLIED WITH EITHER NAILS OR SCREWS



- PROVIDES A CLEAN, SQUARE CORNER
- OUTSIDE CORNERS ONLY



ORDER NOW! 1-800-325-6851

METAL TRIM



DRYWALL STUDS AND TRACKS

SKU	DESCRIPTION	BNDL. QUANTITY	PALLET QUANTITY	PALLET DEPOSIT
080966	25 GA. STEEL STUDS - 2-1/2" x 8'	10 PCS./BNDL.	200 PCS./PALLET	NONE
080978	25 GA. STEEL STUDS - 2-1/2" x 10'	10 PCS./BNDL.	200 PCS./PALLET	NONE
080990	25 GA. STEEL TRACK - 2-1/2" x 10'	10 PCS./BNDL.	200 PCS./PALLET	NONE
080996	25 GA. STEEL STUD - 3-5/8" x 8'	10 PCS./BNDL.	200 PCS./PALLET	NONE
081012	25 GA. STEEL STUD - 3-5/8" x 10'	10 PCS./BNDL.	200 PCS./PALLET	NONE
081018	25 GA. STEEL STUD - 3-5/8" x 12'	10 PCS./BNDL.	200 PCS./PALLET	NONE
081024	25 GA. STEEL TRACK - 3-5/8" x 10'	10 PCS./BNDL.	200 PCS./PALLET	NONE



WALL ANGLE

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
081042	25 GA. STEEL WALL ANGLE - 1-1/2" x 1-1/2" x 10'	20 PCS./BNDL.	NONE


- **MULTI-PURPOSE ANGLE**
- **USED FOR COLUMNS OR DRYWALL INTERSECTIONS**
- **USED BY VARIOUS TRADES WORKING WITH STEEL STUDS**

METAL TRIM

FURRING CHANNEL (HAT CHANNEL)

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
081030	7/8" FURRING CHANNEL - 12'	10 PCS./BNDL.	NONE


- **USED FOR FURRING EXISTING WALLS AND CEILINGS**
- **ALSO USED FOR SUSPENDED CEILING APPLICATIONS**



RESILIENT CHANNELS

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
081036	RESILIENT CHANNEL (ONE LEG) - 12'	20 PCS./BNDL.	NONE
081037	RESILIENT CHANNEL (TWO LEG) - 12'	10 PCS./BNDL.	NONE


- **ONE LEG RESILIENT CHANNEL IS AN INEXPENSIVE METHOD TO DECREASE SOUND TRANSMISSION**
- **TWO LEG RESILIENT CHANNEL IS USED AS A CROSS-FURRING MEMBER FOR RESILIENT ATTACHMENT OF GYPSUM WALLBOARD OR LATH**
- **TWO LEG STYLE IS A SUPERIOR STYLE FOR APPLICATION TO WOOD OR STEEL STUDS AND JOIST**



DRYWALL FUR STRIPS

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
020899	DRYWALL FUR STRIPS - 1.5" x 45"	100/BNDL.	NONE

- **USED TO EVEN OUT WOOD STUDS BEFORE THE DRYWALL IS APPLIED**
- **EASILY APPLIED WITH SPRAY ADHESIVE OR STAPLES**



FUR STRIPS ARE USED TO EASILY FORM A LEVEL PLANE ACROSS THE FRONT OF THE STUDS TO WHICH THE DRYWALL WILL BE ATTACHED.

ACCESSORIES



SPRAY ADHESIVE

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
020913	#357 SPRAY ADHESIVE	12/CASE	NONE

- **USED TO ATTACH DRYWALL FUR STRIPS TO UNEVEN WOOD STUDS**

FOR MORE INFORMATION SEE <http://covalenceadhesives.com/SearchProductsDetails.aspx?ID=96>



BLACK COARSE SCREWS

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
062884	1-1/4" BLACK COARSE SCREWS - 8000 PCS.	48 /PALLET	NONE
062893	1-5/8" BLACK COARSE SCREWS - 5000 PCS.	48/PALLET	NONE
062906	2" BLACK COARSE SCREWS - 3500 PCS.	48 /PALLET	NONE
062924	2-1/2" BLACK COARSE SCREWS - 2500 PCS.	48/PALLET	NONE
062932	3" BLACK COARSE SCREWS - 2000 PCS.	48/PALLET	NONE

- **FOR ATTACHING GYPSUM BOARD OR DRYWALL TO WOOD STUDS**
- **ATTACHING FIXTURES TO DRYWALL**



DRYWALL NAILS

SKU	DESCRIPTION	QUANTITY	PALLET DEPOSIT
061339	1-3/8" DRYWALL NAILS - 50 LB. BOX	48 /PALLET	NONE
061348	1-5/8" DRYWALL NAILS - 50 LB. BOX	48/PALLET	NONE

- **SPECIALLY DESIGNED FOR ATTACHING DRYWALL TO WOOD FRAMING**
- **CUPPED HEAD DESIGNED TO COUNTER SINK FOR EASY CONCEALMENT**
- **PHOSPHATE COATED**

**FOR A COMPLETE LIST OF ALL NAILS AND SCREWS,
SEE THE FASTENERS AND FRAMING SECTION.**